

every step of the way

Comprehensive Coverage for YUPELRI

Widely covered with more than 30 million doses filled since 2018¹

Indication


YUPELRI® inhalation solution is indicated for the maintenance treatment of patients with chronic obstructive pulmonary disease (COPD).

Select Important Safety Information

YUPELRI is contraindicated in patients with hypersensitivity to revefenacin or any component of this product.

YUPELRI should not be initiated in patients during acutely deteriorating or potentially life-threatening episodes of COPD, or for the relief of acute symptoms, i.e., as rescue therapy for the treatment of acute episodes of bronchospasm. Acute symptoms should be treated with an inhaled short-acting beta₂-agonist.

Please see Full Important Safety Information on page 9 and click here for Full Prescribing Information.



~80% of Medicare beneficiaries have supplemental insurance and pay as little as \$0 out of pocket for YUPELRI

Most nebulizers
are covered by
Medicare Part B
as durable medical
equipment (DME) for
patient use at home[‡]



Not actual size

Please see Full Important Safety Information on page 9 and click here for Full Prescribing Information.

[†]This is not a guarantee of coverage. Site of care will determine coverage. Check with your patient's insurance provider for coverage rules and restrictions. In certain limited instances, YUPELRI may be covered through a patient's Medicare Part D pharmacy benefit.

[‡]DME suppliers may require additional documentation.

Outpatient Medicare Coverage

Outpatient coverage applies to patients residing at home

Original Medicare: Part B Benefit with or without supplemental insurance²



- Original Medicare pays 80% of the cost of YUPELRI® (revefenacin) inhalation solution. Patients are responsible for paying the remaining 20%
- Patients may pay as little as \$0 out of pocket per YUPELRI prescription with a supplemental insurance plan (Medigap, Employer-Sponsored, or Medicaid)
- Administered through the Centers for Medicare and Medicaid Services (CMS)

Medicare Advantage: Part B Benefit³

(also called Medicare Part C or Medicare replacement plan)



- An alternative to original Medicare administered through private insurance companies
- The plan delivers the Medicare benefit and therefore must adhere to the rules of Medicare
- Out-of-pocket costs vary depending on the patient's specific plan

Inpatient Medicare Coverage

Inpatient coverage applies to patients in hospitals, skilled nursing facilities, long-term care, hospice care, and home health care

Medicare Part A or Medicare Advantage³



YUPELRI may be covered by Medicare Part A
or Medicare Advantage if it is administered
in an inpatient, skilled nursing, nursing home
(up to 90 days), hospice, or home health care setting

Medicare Part D or Medicare Advantage³

(Part D is an optional private prescription drug plan)



- Patients may be covered under Part D or Medicare Advantage if they are using YUPELRI in a skilled nursing facility or long-term care facility⁴
- Patients pay 100% of the cost of the medication until their deductible has been met, and no more than 25% of the cost of the drug thereafter⁵
- The majority of chronic-stay residents will be enrolled in Medicare Part D Low Income Subsidy (LIS) plans and will have no out-of-pocket costs

Non-Medicare Coverage

For patients with commercial or employer-sponsored (private) coverage



93% of YUPELRI prescriptions with commercial or employer-sponsored (private) insurance are at a \$0 out of pocket cost to the patient¹

- Eligible patients with private or commercial insurance may use the YUPELRI Savings
 Card to help pay for their prescription*
- The YUPELRI Savings Card may help lower out-of-pocket costs up to 12 times per calendar year

Learn more at YUPELRIHCP.com

*Please see full terms and conditions at YUPELRIHCP.com. Eligibility restrictions apply. This offer is not valid for patients covered through Medicare, Medicaid, or any other federal or state-funded healthcare program or where prohibited by law. Viatris Specialty LLC reserves the right to amend or end this program at any time without notice.

For new patients prescribed YUPELRI at hospital discharge

YUPELRI 30-Day Trial Voucher Program[‡]

- Free, 30-day trial supply for new-to-therapy patients
- Redeemable at retail, hospital, and specialty outpatient pharmacies

VOUCHERS ARE ONLY AVAILABLE AT THE TIME OF HOSPITAL DISCHARGE

[‡]Certain terms, conditions, and limitations apply. A valid prescription must be attached to the voucher. To continue a patient on therapy, a separate prescription will be needed. Vouchers cannot be redeemed at a DME supplier. Vouchers can be used by only one patient, one time. Ask your representative for a detailed list of terms, conditions, and limitations.

Please see Full Important Safety Information on page 9 and click here for Full Prescribing Information.



For patients who need financial assistance

YUPELRI (revefenacin) can still be an option for patients who are uninsured or whose insurance doesn't cover YUPELRI

- Through our Patient Assistance Program, eligible patients may be able to receive their medication free of charge[†]
- For more information, please direct your eligible patients to contact us:



customer.service@viatris.com



1-800-796-9526 (toll-free)

[†]Patients must meet financial and other program-specific criteria to be eligible for assistance.

The YUPELRI Hub by Gifthealth:



A dedicated prescription fulfillment service that supports patient access to YUPELRI via an extensive network of partner pharmacies



All payers accepted



Fast delivery at no cost for patients



Automated systems streamline the prescription process to help avoid billing errors and delays



Connected to electronic health records to facilitate the Prior Authorization process when needed and handles complex Part B billing processes



Refill reminders provided to patients via monthly calls and/or text messages



Processes YUPELRI 30-Day Hospital Vouchers

For more information, call The YUPELRI Hub by Gifthealth at: 1 (888) 850-0858

Please see Full Important Safety Information on page 9

and click here for Full Prescribing Information.

Tips for expediting time to fulfillment

Missing information is the main reason for delayed approvals



Make sure ALL required information is included in your health plan or pharmacy request

Required information by Medicare or commercial health plans generally includes:



Osing instructions



Number of refills



J-Code: J7677



Applicable ICD-10 COPD diagnosis code



Relevant medical records (eg, prior therapies and reasons for discontinuation)

 R_{X}

Inhalation solution

175 mcg/3 mL vial One vial QD via standard jet nebulizer Dispense #30 vials Refills #11

ICD-10 COPD Diagnosis

Covered through Medicare Part B J-CODE: J7677

Additional information that may also be required by Medicare:

A prescription for the jet nebulizer (if the patient does not already have one)

Written documentation of need (detailing COPD evaluation and supporting the need for a nebulizer)



Send prescriptions to DME pharmacies, specialty pharmacies, or retail pharmacies based on your patient's coverage and/or preference

Confirm the selected pharmacy receives the prescription and required information for both YUPELRI and a nebulizer, if needed

Confirm the selected pharmacy is able and willing to process the patient's Medicare Part B benefit and supplemental insurance, if applicable

Ensure the selected pharmacy files YUPELRI under Medicare Part B for appropriate patients and is able to process the patient's Medicare Part B supplemental insurance benefit, if applicable

Follow up with your patients



Confirm that the patient has obtained their prescription(s)




Ask if they have begun taking YUPELRI (revefenacin)




Determine whether they need help using their nebulizer properly or have any questions about their medication

Remember:







Not all pharmacies are able to process Medicare Part B coverage; other fulfillment options are available

References: 1. Data on file, May 2025, Viatris Specialty LLC. 2. Costs. Medicare. gov. Accessed May 12, 2025. 3. Parts of Medicare. Medicare.gov. Accessed May 12, 2025. 4. Health care & prescriptions in a nursing home. Medicare.gov. Accessed May 12, 2025. 5. Phases of Part D coverage. Medicareinteractive.org Accessed May 12, 2025.



Please see Full Important Safety Information on page 9 and click here for Full Prescribing Information.

Important Safety Information

Indication

YUPELRI® inhalation solution is indicated for the maintenance treatment of patients with chronic obstructive pulmonary disease (COPD).

Important Safety Information

YUPELRI is contraindicated in patients with hypersensitivity to revefenacin or any component of this product.

YUPELRI should not be initiated in patients during acutely deteriorating or potentially life-threatening episodes of COPD, or for the relief of acute symptoms, i.e., as rescue therapy for the treatment of acute episodes of bronchospasm. Acute symptoms should be treated with an inhaled short-acting beta₂-agonist.

As with other inhaled medicines, YUPELRI can produce paradoxical bronchospasm that may be life-threatening. If paradoxical bronchospasm occurs following dosing with YUPELRI, it should be treated immediately with an inhaled, short-acting bronchodilator. YUPELRI should be discontinued immediately and alternative therapy should be instituted.

YUPELRI should be used with caution in patients with narrow-angle glaucoma. Patients should be instructed to immediately consult their healthcare provider if they develop any signs and symptoms of acute narrow-angle glaucoma, including eye pain or discomfort, blurred vision, visual halos or colored images in association with red eyes from conjunctival congestion and corneal edema.

Worsening of urinary retention may occur. Use with caution in patients with prostatic hyperplasia or bladder-neck obstruction and instruct patients to contact a healthcare provider immediately if symptoms occur.

Immediate hypersensitivity reactions may occur after administration of YUPELRI. If a reaction occurs, YUPELRI should be stopped at once and alternative treatments considered.

The most common adverse reactions occurring in clinical trials at an incidence greater than or equal to 2% in the YUPELRI group, and higher than placebo, included cough, nasopharyngitis, upper respiratory infection, headache and back pain.

Coadministration of anticholinergic medicines or OATP1B1 and OATP1B3 inhibitors with YUPELRI is not recommended.

YUPELRI is not recommended in patients with any degree of hepatic impairment.

Click here for Full Prescribing Information.





